

Appendix B – Customer Information and Sample Data

MARYLAND AVE NE Washington, DC 20002

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0024
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.0024
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.108
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.038
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

DOUGLAS ST NE Washington, DC 20018

Pipe Material: Partial Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0016
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.0029
Received at WAD:	3/31/2006	Copper (mg/L) 1st Draw:	0.052
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.037
Date received from Aqueduct:	4/28/2006	Iron (mg/L) 1st Draw:	0.012
Date Letter Sent to Customer:	04/28/06	Iron (mg/L) 2nd Draw:	<0.01

7TH ST NE Washington, DC 20002

Pipe Material: Lead

Bottle Drop OffDate:	5/18/2006	Lead (mg/L) 1st Draw:	<0.0005
Collection Date:	5/19/2006	Lead (mg/L) 2nd Draw:	<0.0005
Received at WAD:	5/23/2006	Copper (mg/L) 1st Draw:	0.079
Analysis Date:	5/30/2006	Copper (mg/L) 2nd Draw:	0.055
Date received from Aqueduct:	6/1/2006	Iron (mg/L) 1st Draw:	0.026
Date Letter Sent to Customer:	6/5/06	Iron (mg/L) 2nd Draw:	0.032

PARK ST NE Washington, DC 20011

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0013
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.0009
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.034
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.016
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

Quincy St NW Washington, DC 200115768

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0078
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0018
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.019
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.011
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.484
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.058

HAMILTON ST NW Washington, DC 20011

Pipe Material: Partial Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0032
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.003
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.041
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.031
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.016

CARROLLSBURG PL SW Washington, DC 20024

Pipe Material: Partial Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0015
Collection Date:	2/9/2006	Lead (mg/L) 2nd Draw:	0.001
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.073
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.081
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	0.062
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	0.022

JACKSON ST NE Washington, DC 20017

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0042
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.008
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.034
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.013
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0.047
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0.026

FRANKLIN ST NE Washington, DC

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0006
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0006
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.032
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.015
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

Delafield Pl NW Washington, DC 200114419

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0077
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0097
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.071
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.014
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.047
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.023

HEMLOCK ST NW Washington, DC 20012

Pipe Material: Partial Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.171
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.0099
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.043
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.027
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	<0.01

Massachusetts Ave SE Washington, DC 20003

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0007
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.0005
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.023
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.016
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	<0.01

Madison St NW Washington, DC 200117841

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	<0.0005
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.011
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

Montague St NW Washington, DC 200112875

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0023
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0018
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.028
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.02
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.01

JEFFERSON ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0046
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.0051
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.04
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.032
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	0.01

██████ E ST NE Washington, DC
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0012
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0017
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.013
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.016
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

██████ FLORAL ST NW Washington, DC 20012
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0035
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.0081
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.055
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	<0.01

██████ N Carolina Ave NE Washington, DC
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0046
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0027
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.011
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.055
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.046

██████ N CAROLINA AVE NE Washington, DC
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0019
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0021
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.021
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.014
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

UHLAND TER NE Washington, DC 20002

Pipe Material: Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0012
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.0094
Received at WAD:	2/16/2006	Copper (mg/L) 1st Draw:	0.006
Analysis Date:	2/23/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	0

Tennessee Ave NE Washington, DC 200026426

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0026
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0137
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.043
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.011
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	<0.01

ALLISON ST NW Washington, DC

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.005
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.0054
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.087
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.06
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0.04
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0.02

Constitution Ave NE Washington, DC 200026525

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0079
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0018
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.024
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	<0.01

██████████ Allison St NW Washington, DC 200114214
██

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0054
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0098
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.1
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.024

██████████ HARVARD ST NW Washington, DC 20016
██

Pipe Material: Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0117
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.0204
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.03
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.02
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	0.192
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	0.154

██████████ Rosedale St NE Washington, DC 200024525
██

Pipe Material: Lead

Bottle Drop OffDate:		Lead (mg/L) 1st Draw:	0.0021
Collection Date:	5/17/2006	Lead (mg/L) 2nd Draw:	0.002
Received at WAD:	5/17/2006	Copper (mg/L) 1st Draw:	0.011
Analysis Date:	5/24/2006	Copper (mg/L) 2nd Draw:	0.013
Date received from Aqueduct:	5/26/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/30/06	Iron (mg/L) 2nd Draw:	<0.01

██████████ NEW JERSEY AVE NW Washington, DC
██

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	<0.0005
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0007
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.026
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0.054

KENYON ST NW Washington, DC 20010

Pipe Material: Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0025
Collection Date:	2/9/2006	Lead (mg/L) 2nd Draw:	0.0015
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.044
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.087
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	0.089
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	0.015

M St NE Washington, DC 200022010

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0011
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0012
Received at WAD:	5/17/2006	Copper (mg/L) 1st Draw:	0.01
Analysis Date:	5/24/2006	Copper (mg/L) 2nd Draw:	0.011
Date received from Aqueduct:	5/26/2006	Iron (mg/L) 1st Draw:	0.034
Date Letter Sent to Customer:	05/30/06	Iron (mg/L) 2nd Draw:	0.056

L ST NE Washington, DC 20002

Pipe Material: Partial Lead

Bottle Drop OffDate:	2/7/2006	Lead (mg/L) 1st Draw:	0.0017
Collection Date:	2/8/2006	Lead (mg/L) 2nd Draw:	0.001
Received at WAD:	2/10/2006	Copper (mg/L) 1st Draw:	0.021
Analysis Date:	2/15/2006	Copper (mg/L) 2nd Draw:	0.013
Date received from Aqueduct:	3/2/2006	Iron (mg/L) 1st Draw:	0.02
Date Letter Sent to Customer:	03/07/06	Iron (mg/L) 2nd Draw:	0.024

MONROE ST NW Washington, DC 20010

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0068
Collection Date:	3/27/2006	Lead (mg/L) 2nd Draw:	0.0019
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.038
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.018
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

37TH ST NW Washington, DC 20007

Pipe Material: Lead

Bottle Drop OffDate:	3/7/2006	Lead (mg/L) 1st Draw:	0.0008
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0013
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.044
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.012
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

4TH ST NE Washington, DC 20020

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0006
Collection Date:	3/9/2006	Lead (mg/L) 2nd Draw:	0.0006
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.006
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.005
Date received from Aqueduct:	4/7/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

11th St SE Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	<0.0005
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.13
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

RANDOLPH PL NE Washington, DC 20002

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0028
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0016
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.013
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.013
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	<0.01

14th St SE Washington, DC 200204802

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0021
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0022
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.02
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

V ST NE Washington, DC 20002

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2003	Lead (mg/L) 1st Draw:	0.0039
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0062
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.078
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.016
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

3rd St NE Washington, DC 200021114

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.003
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0008
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.083
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.026

3RD ST NE Washington, DC 20005

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0105
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0161
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.033
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.019
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

██████████ P ST NW Washington, DC 20007
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0012
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	<0.0005
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.018
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.006
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.151
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	<0.01

██████████ 28TH ST NW Washington, DC 20008
████████████████████

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0007
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0006
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.036
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.02
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	<0.01

██████████ BRENTWOOD RD NE Washington, DC 20018
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0017
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0019
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.039
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.026
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	<0.01

██████████ Channing St NE Washington, DC 200181545
████████████████████

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0048
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0032
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.028
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.046
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.048

██████████ RITTENHOUSE ST NW Washington, DC 20011
██

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0156
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0278
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.007
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0.202
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.223

██████████ Hawthorne St NW Washington, DC 200083539
██

Pipe Material: Partial Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	5/11/2006	Copper (mg/L) 1st Draw:	0.061
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.02
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.034
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.031

██████████ Porter St NW Washington, DC 200083212
██

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0037
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0014
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.024
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.03
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

██████████ 38TH ST NW Washington, DC 20016
██

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0044
Collection Date:	3/9/2006	Lead (mg/L) 2nd Draw:	0.0016
Received at WAD:	3/23/2006	Copper (mg/L) 1st Draw:	0.099
Analysis Date:	3/29/2006	Copper (mg/L) 2nd Draw:	0.026
Date received from Aqueduct:	4/27/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	4 /28/06	Iron (mg/L) 2nd Draw:	0

Central Ave NE Washington, DC 200182623

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0025
Collection Date:	5/5/2006	Lead (mg/L) 2nd Draw:	0.0024
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.007
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	<0.01

Mckinley St NW Washington, DC 200151634

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0021
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0086
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.017
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.184
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.114

MACOMB ST NW Washington, DC 20008

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0023
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0074
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.161
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.014
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

MORRISON ST NW Washington, DC 20015

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0021
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0043
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.065
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.019
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

BROWN St NW Washington, DC 20010

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0029
Collection Date:	3/27/2006	Lead (mg/L) 2nd Draw:	0.0139
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.117
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.037
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0.018

GARRISON ST NW Washington, DC 20015

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0056
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0071
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.011
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.204
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.043

PORTER ST NW Washington, DC 20016

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0073
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0117
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.017
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0.16
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.078

30th St NW Washington, DC 200083248

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	<0.0005
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.017
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.003
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.014
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.021

24TH ST SE Washington, DC 20020

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0
Collection Date:	3/6/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.008
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

Park Pl NW Washington, DC 200101720

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0112
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0134
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.023
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.015
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.045
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.074

16TH ST NW Washington, DC

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0064
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0018
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.058
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0.051
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	<0.01

ALBEMARLE ST NW Washington, DC 20016

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0037
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0023
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.035
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	<0.01

WARREN ST NW Washington, DC 20008

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.001
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0015
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.024
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.016
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.013

PORTER ST NW Washington, DC 20016

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0035
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0052
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.07
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.024
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

WARDER ST NW Washington, DC 20010

Pipe Material: Lead

Bottle Drop OffDate:	3/7/2006	Lead (mg/L) 1st Draw:	0.0103
Collection Date:	3/9/2006	Lead (mg/L) 2nd Draw:	0.0091
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.008
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.043
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.257

35th St NW Washington, DC 200163118

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0013
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0015
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.004
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.003
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.033
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.032

██████████ NORTHAMPTON ST NW Washington, DC 20015
██

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0019
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0021
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.004
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.004
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

██████████ ALTON PL NW Washington, DC 20008
██

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0052
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0116
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.061
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

██████████ VEAZEY ST NW Washington, DC 20016
██

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0024
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.001
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.075
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.004
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

██████████ 8TH ST NW Washington, DC 20011
██

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0006
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0006
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.04
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.035
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

LIVINGSTON ST NW Washington, DC

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0032
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0118
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.025
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

HARRISON ST NW Washington, DC 20015

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0019
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0046
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.012
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.005
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.243
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.384

K St NE Washington, DC 200023523

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0047
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0058
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.011
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

YUMA ST NW Washington, DC 20016

Pipe Material: Lead

Bottle Drop OffDate:	3/7/2006	Lead (mg/L) 1st Draw:	0.0038
Collection Date:	3/9/2006	Lead (mg/L) 2nd Draw:	0.0058
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.034
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

10th St NE Washington, DC 200172121

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0008
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.142
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.025
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.026
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.029

Luray Pl NW Washington, DC 200102527

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0038
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0128
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.055
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.012
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

Fessenden St NW Washington, DC 200164033

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0046
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0132
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.021
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.038

38TH ST NW Washington, DC 20016

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.011
Collection Date:	3/9/2006	Lead (mg/L) 2nd Draw:	0.0104
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.019
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.015
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0.47
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	<0.01

FOREST LN NW Washington, DC 20007

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0052
Collection Date:	3/8/2006	Lead (mg/L) 2nd Draw:	0.0052
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.024
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.022
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.028

BRANDYWINE ST NW Washington, DC 20016

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0012
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.001
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.098
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.067
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.017
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.026

5TH ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0043
Collection Date:	3/31/2006	Lead (mg/L) 2nd Draw:	0.0028
Received at WAD:	4/10/2006	Copper (mg/L) 1st Draw:	0.065
Analysis Date:	4/12/2006	Copper (mg/L) 2nd Draw:	0.03
Date received from Aqueduct:	4/13/2006	Iron (mg/L) 1st Draw:	0.045
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

New Hampshire Ave NW Washington, DC 200114732

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0013
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0015
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.025
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.02
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

14th St NE Washington, DC 200172748

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0103
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0116
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.033
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.015
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.083
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.023

3rd St NW Washington, DC 200117317

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0157
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0048
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.037
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.015
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.016
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.01

14TH ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0008
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	<0.0005
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.007
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0.044
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.038

30TH ST NW Washington, DC 20008

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.0038
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.003
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.015
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.015
Date received from Aqueduct:	4/6/2006	Iron (mg/L) 1st Draw:	0.015
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0

15TH ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/6/2006	Lead (mg/L) 1st Draw:	0.01
Collection Date:	3/7/2006	Lead (mg/L) 2nd Draw:	0.0091
Received at WAD:	3/13/2006	Copper (mg/L) 1st Draw:	0.034
Analysis Date:	3/15/2006	Copper (mg/L) 2nd Draw:	0.01
Date received from Aqueduct:	4/5/2006	Iron (mg/L) 1st Draw:	0.03
Date Letter Sent to Customer:	04/10/06	Iron (mg/L) 2nd Draw:	0.014

Macarthur Blvd NW Washington, DC 200071904

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0258
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0074
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.139
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.036
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

Sheriff Rd NE Washington, DC 200193705

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0021
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0017
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.006
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	<0.01

8TH ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.003
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0029
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.112
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.06
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

ILLINOIS AVE NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0079
Collection Date:	3/27/2006	Lead (mg/L) 2nd Draw:	0.0019
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.017
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.005
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

13th St SE Washington, DC 20003

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0118
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0101
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.017
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

4th St SE Washington, DC 200034222

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0005
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.034
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	<0.01

Varnum St NW Washington, DC 200114650

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.003
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0017
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.023
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.019
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

7TH ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.017
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0147
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.008
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.006
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0.507
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	<0.01

9TH ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0017
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0028
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.013
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.014
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

COLORADO AVE NW Washington, DC 20016

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0028
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0011
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.018
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.006
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0.203
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0.037

39TH ST NW Washington, DC 20008

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0026
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0076
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.071
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.023
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

ATLANTIC ST SE Washington, DC 20032

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.002
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.0028
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.059
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.043
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

OTIS PL NW Washington, DC 20008

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0054
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.003
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.032
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.016
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0.041

7TH ST NW Washington, DC 20011

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0015
Collection Date:	3/29/2006	Lead (mg/L) 2nd Draw:	0.0033
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.013
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.008
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

Morton PI NE Washington, DC 200023427

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0021
Collection Date:	5/2/2006	Lead (mg/L) 2nd Draw:	0.0028
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.112
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.029
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	<0.01

Gallatin St NW Washington, DC 200114025

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0061
Collection Date:	5/4/2006	Lead (mg/L) 2nd Draw:	0.0041
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.022
Analysis Date:	5/16/2006	Copper (mg/L) 2nd Draw:	0.011
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0.033
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0.011

JEFFERSON ST NW Washington, DC 20002

Pipe Material: Partial Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.002
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0022
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.006
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.007
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	<0.01

LONGFELLOW ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0021
Collection Date:	3/28/2006	Lead (mg/L) 2nd Draw:	0.0018
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.009
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.009
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	<0.01
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	<0.01

BUCHANAN ST NW Washington, DC 20011

Pipe Material: Lead

Bottle Drop OffDate:	3/27/2006	Lead (mg/L) 1st Draw:	0.0074
Collection Date:	3/30/2006	Lead (mg/L) 2nd Draw:	0.0089
Received at WAD:	4/5/2006	Copper (mg/L) 1st Draw:	0.026
Analysis Date:	4/11/2006	Copper (mg/L) 2nd Draw:	0.014
Date received from Aqueduct:	4/14/2006	Iron (mg/L) 1st Draw:	0.279
Date Letter Sent to Customer:	04/18/06	Iron (mg/L) 2nd Draw:	0

Delafield PI NW Washington, DC 200114514

Pipe Material: Lead

Bottle Drop OffDate:	5/1/2006	Lead (mg/L) 1st Draw:	0.0014
Collection Date:	5/3/2006	Lead (mg/L) 2nd Draw:	0.0014
Received at WAD:	5/9/2006	Copper (mg/L) 1st Draw:	0.011
Analysis Date:	5/17/2006	Copper (mg/L) 2nd Draw:	0.021
Date received from Aqueduct:	5/19/2006	Iron (mg/L) 1st Draw:	0
Date Letter Sent to Customer:	05/24/06	Iron (mg/L) 2nd Draw:	0

